

FOOD MACHINE



产品手册 Product manual



Nantong Golden Bakery Machinery Equipment Co.,,Ltd.
2nd Floor, Building 6, No.933 Yonghe Road,
YongxingStreet, Chongchuan District,Nantong
City,JiangsuProvince
www.kvgoldenbakery.com
info@kvgoldenbakery.com
kevin@kvgoldenbakery.com
WECHAT +8613962915883

南通金焙瑞机械设备有限公司
Nantong Golden Bakery Machinery Equipment Co., Ltd.

Nantong Golden Bakery Machinery Equipment Co., Ltd. Established in 2017, Nantong Golden Bakery Machinery Equipment Co., Ltd. has grown into a trusted professional supplier of commercial kitchen equipment — dedicated to delivering high-quality solutions for bakeries, restaurants, and food processing businesses worldwide. Our sales model is factory + trade.

Our Core Offerings We specialize in providing a comprehensive range of commercial equipment tailored to meet diverse culinary needs, including: Planetary Mixers Dough Mixers Meat Mincers Meat Slicers And other customized kitchen appliances Each product is crafted with precision to ensure durability, efficiency, and compliance with international quality standards — helping our clients streamline operations and elevate their food production.

Strategic Location Situated in Nantong, Jiangsu Province, we enjoy exceptional logistical advantages with close proximity to Shanghai. This prime location enables efficient transportation, timely delivery, and seamless communication with global partners, ensuring quick response to your orders and inquiries.

Global Reach & Client-Centric Services Our footprint extends across Europe, the Middle East, and Latin America — where we ’ ve built long-term partnerships with local distributors, restaurants, and bakery chains. We understand that every business has unique needs, which is why we offer: Customized equipment solutions (tailored to specific production requirements) OEM/ODM services (including brand logo engraving and product customization) Responsive after-sales support (technical guidance and maintenance assistance) Our Vision At Golden Bakery Machinery, we don ’ t just sell equipment — we strive to be your reliable growth partner. We are committed to continuous innovation, quality improvement, and fostering mutually beneficial relationships that drive success for both your business and ours. Whether you ’ re a small bakery or a large-scale food processing enterprise, we ’ re here to support your journey with top-tier equipment and personalized service. Let ’ s grow together — one high-performance kitchen at a time.

鲜奶机系列 Milk Mixer Series	3.....4
搅拌机系列 Food Mixer Series	5.....10
和面机系列 Flour mixer series	11.....20
面团处理系列 Dough processing series	21.....26
肉类处理系列 Meat processing series	27.....40
蔬菜处理系列 Vegetable processing series	41.....42
烤箱系列 Oven series	43.....44

Milk Mixer Series

鲜奶机 Milk Mixer

Milk mixer B7/NB7 Features

- Brand new mold, new detail design.
- All-aluminum body, lighter and more stable.
- All-copper electric machine, more powerful.
- The whole body is painted with piano paint, and the visual effect is more high-end.
- Two power options are available to meet different needs.
- Color can be customized.

3 FUNCTIONS



-Hook for dough



-Whip for cream and egg



-Beater for filling

鲜奶机 B7/NB7 性能特点

- 全新模具，全新细节设计。
- 全铝合金机身，更轻更稳定。
- 全铜电机，功率更大。
- 全身涂有钢琴漆，视觉效果更高端。
- 有两种电源选项可满足不同的需求。
- 颜色可以自定义。



打蛋器
Whip



搅拌拍
Beater



和面钩
Hook



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PACKAGE SIZE 包装尺寸	PRODUCT SIZE 产品尺寸	G/W 毛重	N/W 净重
B7	110~240V	380W	7L/0.5kg	45*27*49cm	40*25*43cm	18.8kg	17.80kg
NB7-3	110~240V	380W	7L/0.5kg	45*27*49cm	40*25*43cm	14.8kg	13.75kg
NB7-5	110~240V	500W	7L/1.0kg	45*27*49cm	40*25*43cm	14.8kg	13.75kg

Milk Mixer Series

厨师机 Chef machine

Chef mixer CM7 Features

- Brand new mold, new detail design.
- Belt drive mode, stronger ability, higher appearance.
- All-copper electric machine, more powerful.
- The whole body is painted with piano paint, and the visual effect is more high-end.
- Color can be customized.
- Thermal bag optional.

3 FUNCTIONS



-Hook for dough



-Whip for cream and egg



-Beater for filling

厨师机 CM7 性能特点

- 全新模具，全新细节设计。
- 皮带传动方式，能力更强，颜值更高。
- 全铜电机，功率更大。
- 全身涂有钢琴漆，视觉效果更高端。
- 颜色可以自定义。
- 保温袋可选。



打蛋器
Whip



搅拌拍
Beater



和面钩
Hook



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PACKAGE SIZE 包装尺寸	PRODUCT SIZE 产品尺寸	G/W 毛重	N/W 净重
CM7-A	110~240V	500W	7L	50*37*49cm	41*22*41cm	22kg	21kg
CM7-B	110~240V	500W	7L	50*37*49cm	41*22*41cm	22kg	21kg

Food Mixer Series

搅拌机
Food Mixer

搅拌机系列

Planetary mixer B10/15
Features

- All-copper motor, stable performance, low noise, high power.
- Adopt gear transmission.
- High-quality oil seal, well sealed, no oil leakage.
- Car paint, no discoloration.
- Guard, travel switch, emergency stop, motor overload protection optional.
- HOOK is used to mix the high-adhibit food at a low speed.
- WHIP is used to mix the mid-adhibit food at low or mid-speed.
- BEATER is used to mix the low-adhibit food at a high speed.

搅拌机 B10/15
性能特点

- 全铜电机，性能稳定，噪音低，功率大。
- 采用齿轮传动。
- 优质油封，密封良好，无漏油现象。
- 车漆，无变色。
- 护罩、行程开关、紧急停机、电机过载保护可选。
- 挂钩用于低速搅拌高粘性食物。
- 鞭子用于低速或中速混合中等粘性的食物。
- 搅拌器用于高速搅拌低粘性食物。



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PRODUCT SIZE 产品尺寸	PACKAGE SIZE 包装尺寸	G/W 毛重	N/W 净重
B10-2	110~240V	500W	10L	45*35*64cm	56*46*74cm	50kg	43.5kg
B10-3	110~240V	500W	10L	45*35*64cm	56*46*74cm	50kg	43.5kg
B15-2	110~240V	500W	15L	45*35*66cm	56*46*78cm	51kg	44.5kg
B15-3	110~240V	500W	15L	45*35*66cm	56*46*78cm	51kg	44.5kg

Food Mixer Series

搅拌机
Food Mixer

搅拌机系列

Planetary mixer B20
Features

- All-copper motor, stable performance, low noise, high power.
- Adopt gear transmission.
- High-quality oil seal, well sealed, no oil leakage.
- Car paint, no discoloration.
- Guard, travel switch, emergency stop, motor overload protection optional.
- HOOK is used to mix the high-adhibit food at a low speed.
- WHIP is used to mix the mid-adhibit food at low or mid-speed.
- BEATER is used to mix the low-adhibit food at a high speed.

搅拌机 B20
性能特点

- 全铜电机，性能稳定，噪音低，功率大。
- 采用齿轮传动。
- 优质油封，密封良好，无漏油现象。
- 车漆，无变色。
- 护罩、行程开关、紧急停机、电机过载保护可选。
- 挂钩用于低速搅拌高粘性食物。
- 鞭子用于低速或中速混合中等粘性的食物。
- 搅拌器用于高速搅拌低粘性食物。



N/W 净重	VOLTAGE 电压	POWER 功率	CAP 容量	PRODUCT SIZE 产品尺寸	PACKAGE SIZE 包装尺寸	G/W 毛重	N/W 净重
B20	110~240V	1100W	20L	50*42*79cm	61*50*90cm	68kg	61kg

Food Mixer Series

搅拌机
Food Mixer

搅拌机系列

Planetary mixer B30
Features

- All-copper motor, stable performance, low noise, high power.
- Adopt belt transmission.
- High-quality oil seal, well sealed, no oil leakage.
- Car paint, no discoloration.
- Guard, travel switch, emergency stop, motor overload protection optional.
- HOOK is used to mix the high-adhibit food at a low speed.
- WHIP is used to mix the mid-adhibit food at low or mid-speed.
- BEATER is used to mix the low-adhibit food at a high speed.

搅拌机 B30
性能特点

- 全铜电机，性能稳定，噪音低，功率大。
- 采用皮带传动。
- 优质油封，密封良好，无漏油现象。
- 车漆，无变色。
- 护罩、行程开关、紧急停机、电机过载保护可选。
- 挂钩用于低速搅拌高粘性食物。
- 鞭子用于低速或中速混合中等粘性的食物。
- 搅拌器用于高速搅拌低粘性食物。



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PRODUCT SIZE 产品尺寸	PACKAGE SIZE 包装尺寸	G/W 毛重	N/W 净重
B30	110~240V	1500W	30L	54*46*90cm	64*52*100cm	78kg	69kg

Food Mixer Series

搅拌机
Food Mixer

搅拌机系列

Planetary mixer B40/50/60
Features

- All-copper motor, stable performance, low noise, high power.
- Larger capacity, more suitable for food factories, large hotels, bakeries.
- Adopt belt transmission.
- High-quality oil seal, well sealed, no oil leakage.
- Car paint, no discoloration.
- Guard, travel switch, emergency stop, motor overload protection optional.
- HOOK is used to mix the high-adhibit food at a low speed.
- WHIP is used to mix the mid-adhibit food at low or mid-speed.
- BEATER is used to mix the low-adhibit food at a high speed.

搅拌机 B40/50/60
性能特点

- 全铜电机，性能稳定，噪音低，功率大。
- 容量更大，更适合食品工厂、大型酒店、面包店。
- 采用皮带传动。
- 优质油封，密封良好，无漏油现象。
- 车漆，无变色。
- 护罩、行程开关、紧急停机、电机过载保护可选。
- 挂钩用于低速搅拌高粘性食物。
- 鞭子用于低速或中速混合中等粘性的食物。
- 搅拌器用于高速搅拌低粘性食物。



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PRODUCT SIZE 产品尺寸	PACKAGE SIZE 包装尺寸	G/W 毛重	N/W 净重
B40	220V	2000W	40L	67*63*104cm	75*69*116cm	148kg	137kg
B50	220V	2400W	50L	79*79*120cm	87*81*132cm	235kg	216kg
B60	220V	2400W	65L	79*79*128cm	87*81*139cm	242kg	225kg

Food Mixer Series

搅拌机
Food Mixer

搅拌机
Food Mixer

Food Mixer Series

Planetary mixer
B20-FT/B30-FT

Features

- Frequency converter change speed
- Timable
- Less noise

变频系列行星搅拌机
B20-FT/B30-FT

性能特点

- 采用变频变速
- 可定时
- 噪音更小



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	SIZE 尺寸	WEIGHT 重量
B20-FT	220V	2.2kW	20L	54*71*86cm	135kg
B30-FT	220V	2.2kW	30L	54*77*91cm	145kg

Planetary mixer
B40-FT/B50-FT/B60-FT/
B80-FT/B100-FT

Features

- Frequency converter change speed
- Timable
- Less noise

变频系列行星搅拌机
B40-FT/B50-FT/B60-FT/
B80-FT/B100-FT

性能特点

- 采用变频变速
- 可定时
- 噪音更小



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	SIZE 尺寸	WEIGHT 重量
B40-FT	220V/380V	3kW	40L		160kg
B50-FT	220V/380V	4kW	50L	105*88*157cm	270kg
B60-FT	220V/380V	4kW	60L		285kg
B80-FT	220V/380V	4.5kW	80L	118*97*164cm	410kg
B100-FT	220V/380V	5.5kW	100L	128*107*174cm	430kg

Flour mixer series

和面机
Dough Mixer

和面机
Dough Mixer

Flour mixer series

和面机系列

主要特点：
电控变速，操控便捷耐用。单相电控双速，专利产品。
Main features:
Electronically controlled variable-speed, durable and convenient manipulation.
Single-phase two-speed electronically controlled, patented product.
Patent No.: ZL201220511207.1
经特别设计的和面杆，以及与料桶协调的转速，能获得最好的揉面效果。
特别装有时间控制的操作系统，自动控制低速、高速和面时间，到时无自动停机。
设有定时和手动、高速和低速切换按钮，可任意控制高低速和面时间。
可用点动按钮点动和面机，方便取面及清洁料桶。
The specially designed mixing arm, combined with the rotational speed matched to the bowl, delivers optimal kneading results. It is equipped with a time-controlled operation program that automatically manages low-speed and high-speed kneading times, and stops automatically when the set time elapses. It features timer and manual modes, as well as high/low speed switching buttons, allowing flexible control over kneading duration at both speeds. The jog button enables jogging operation of the mixer, facilitating dough removal and bowl cleaning.



SS20 SS30 SS40



SS50 SS60



SS80

Model	Dimensions (mm)	Packing Size (mm)	Voltage (V)	Rated Frequency (Hz)	Power (kW)	Mixing Capacity (kg)	Bowl Volume (L)	Mixing Speed (r/min)	Bowl Speed (r/min)	Net Weight (NW, kg)	Gross Weight (GW, kg)
SS20	730×390×800	750×450×1000	110/220/230/240V/3-380V	50/60	1.5	8	20	150/200	152/200	90	100
SS30	760×435×890	800×500×1000	110/220/230/240V/3-380V	50/60	1.5	12	34	150/200	152/200	100	110
SS40	800×480×970	850×550×1050	220/230/240V/3-380V	50/60	3	16	46	150/200	152/200	115	130
SS50	850×510×970	950×550×1100	220/230/240V/3-380V	50/60	3	20	54	150/200	152/200	128	140
SS60	850×510×970	950×550×1100	220/230/240V/3-380V	50/60	3	25	64	150/200	152/200	130	145
SS80	880×650×1100	980×650×1250	3-220V/3-380V	50/60	3.2	33	80	135/200	102/200	250	270



SS100



SS130 SS200
SS260



Model	Dimensions (mm)	Packing Size (mm)	Voltage (V)	Rated Frequency (Hz)	Power (kW)	Mixing Capacity (kg)	Bowl Volume (L)	Mixing Speed (r/min)	Bowl Speed (r/min)	Net Weight (NW, kg)	Gross Weight (GW, kg)
SS100	1080×650×1380	1150×850×1600	3-220V/3-380V	50/60	4.1	40	100	100/200	102/200	340	410
SS130	1160×730×1380	1250×900×1600	3-220V/3-380V	50/60	6.4	50	130	150/200	10./20	415	475
SS200	1330×840×1560	1250×900×1600	3-220V/3-380V	50/60	8.8	75	200	100/200	10./20	470	520
SS260	1330×840×1560	1400×950×1650	3-220V/3-380V	50/60	9	100	260	100/200	10./20	520	580

和面机系列

Flour mixer series

和面机 Dough Mixer

Dough mixer HC20/30/40

Features

- Large-capacity dough making equipment, efficient operation.
- The transmission mode has been upgraded in an all-round way, and the frequency converter and frequency conversion motor are used to change the speed.
- Standard mechanical control panel, digital control panel can be upgraded.
- Rotate in both directions for easy access to dough.
- Install the circuit breaker, lift the guard to stop, more secure.
- Optional emergency stop button, optional bottom holder and optional moving wheel.

和面机 HC20/30/40

性能特点

- 大容量制作面团设备，高效运作。
- 传动方式全面升级，采用变频器和变频电机改变速度。
- 标配机械控制面板，可升级数码控制面板。
- 双向转动，方便拿取面团。
- 安装行程开关，抬罩停机，更安全。
- 应急停止按钮可选，底部固定器可选，移动轮可选。



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PRODUCT SIZE 产品尺寸	G/W 毛重	N/W 净重
HC20	220V	1500W	20L	39*69*80cm	93kg	85kg
HC30	220V	2200W	30L	44*72*87cm	97kg	88kg
HC40	220V	3000W	40L	44*72*90cm	110kg	100kg

Flour mixer series

和面机 Dough Mixer

Dough mixer HL20/30/40

Features

- Large-capacity dough making equipment, efficient operation.
- The transmission mode has been upgraded in an all-round way, and the frequency converter and frequency conversion motor are used to change the speed.
- Standard mechanical control panel, digital control panel can be upgraded.
- Rotate in both directions for easy access to dough.
- Install the circuit breaker, lift the guard to stop, more secure.
- Optional emergency stop button, optional bottom holder and optional moving wheel.

和面机 HL20/30/40

性能特点

- 大容量制作面团设备，高效运作。
- 传动方式全面升级，采用变频器和变频电机改变速度。
- 标配机械控制面板，可升级数码控制面板。
- 双向转动，方便拿取面团。
- 安装行程开关，抬罩停机，更安全。
- 应急停止按钮可选，底部固定器可选，移动轮可选。



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PRODUCT SIZE 产品尺寸	G/W 毛重	N/W 净重
HL20	220V	1500W	20L	38*68*72cm	115kg	100kg
HL30	220V	2000W	30L	43*73*77cm	120kg	105kg
HL40	380V	0.8/1.5kW	40L	44*76*101cm	136kg	119kg

Flour mixer series

和面机
Dough Mixer

Dough mixer
HT20/HT30/HT40
Features

- Head-up design
- BOWL is removable

加高型/抬头和面机
HT20/HT30/HT40
性能特点

- 具有H系列和面机所有功能
- 采用抬头式和面桶可拆式设计更加方便



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PRODUCT SIZE 产品尺寸	G/W 毛重	N/W 净重
HT20	220V	1500W	20L	39*69*80cm	93kg	85kg
HT30	220V	2200W	30L	44*72*87cm	97kg	88kg
HT40	220V	2400W	40L			

Flour mixer series

和面机
Dough Mixer

MINI Dough mixer
HT10/H10/H15
Features

- Head-up design
- BOWL is removable

微型和面机
HT10/H10/H15
性能特点

- 更小巧的设计
- 私房烘焙好帮手



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	SIZE 尺寸	WEIGHT 重量
HT10	220V	1100W	10L	31*58*50cm	45kg
H10	220V	1100W	10L	32*55*53cm	57kg
H15	220V	1500W	15L	32*60*47cm	48kg

Flour mixer series

和面机
Dough Mixer

和面机系列

Dough mixer H50
Features

- Large-capacity dough making equipment, efficient operation.
- The transmission mode has been upgraded in an all-round way, and the frequency converter and frequency conversion motor are used to change the speed.
- Standard mechanical control panel, digital control panel can be upgraded.
- Rotate in both directions for easy access to dough.
- Install the circuit breaker, lift the guard to stop, more secure.
- Optional emergency stop button, optional bottom holder and optional moving wheel.

和面机 H50
性能特点

- 大容量制作面团设备，高效运作。
- 传动方式全面升级，采用变频器和变频电机改变速度。
- 标配机械控制面板，可升级数码控制面板。
- 双向转动，方便拿取面团。
- 安装行程开关，抬罩停机，更安全。
- 应急停止按钮可选，底部固定器可选，移动轮可选。



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PRODUCT SIZE 产品尺寸	PACKAGE SIZE 包装尺寸	G/W 毛重	N/W 净重
H50	380V	1.5/2.4kW	50L	88*53*105cm	96*65*113cm	181kg	166kg

Flour mixer series

和面机
Dough Mixer

和面机系列

Dough mixer H60
Features

- Large-capacity dough making equipment, efficient operation.
- The transmission mode has been upgraded in an all-round way, and the frequency converter and frequency conversion motor are used to change the speed.
- Standard mechanical control panel, digital control panel can be upgraded.
- Rotate in both directions for easy access to dough.
- Install the circuit breaker, lift the guard to stop, more secure.
- Optional emergency stop button, optional bottom holder and optional moving wheel.

和面机 H60
性能特点

- 大容量制作面团设备，高效运作。
- 传动方式全面升级，采用变频器和变频电机改变速度。
- 标配机械控制面板，可升级数码控制面板。
- 双向转动，方便拿取面团。
- 安装行程开关，抬罩停机，更安全。
- 应急停止按钮可选，底部固定器可选，移动轮可选。



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PRODUCT SIZE 产品尺寸	PACKAGE SIZE 包装尺寸	G/W 毛重	N/W 净重
H60	380V	1.5/2.4kW	60L	88*54*108cm	96*65*118cm	185kg	170kg

Flour mixer series

和面机
Dough Mixer

Dough mixer H80/H130/H200
Features

- Large-capacity dough making equipment, efficient operation.
- The transmission mode has been upgraded in an all-round way, and the frequency converter and frequency conversion motor are used to change the speed.
- Standard mechanical control panel, digital control panel can be upgraded.
- Rotate in both directions for easy access to dough.
- Install the circuit breaker, lift the guard to stop, more secure.
- Optional emergency stop button, optional bottom holder and optional moving wheel.

和面机 H80/H130/H200
性能特点

- 大容量制作面团设备，高效运作。
- 传动方式全面升级，采用变频器和变频电机改变速度。
- 标配机械控制面板，可升级数码控制面板。
- 双向转动，方便拿取面团。
- 安装行程开关，抬罩停机，更安全。
- 应急停止按钮可选，底部固定器可选，移动轮可选。



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PRODUCT SIZE 产品尺寸	N/W 净重
H80	380V	2.2/3.3kW-2.2/4.5kW	80L	66*100*121cm	300kg
H130	380V	2.2/4.5kW+0.75kW	130L	72*112*139cm	424kg
H200	380V	4.0/9.0kW+1.1kW	200L	84*138*155cm	600kg

Flour mixer series

和面机
Dough Mixer

Dough mixer HF200
Features

- Large-capacity dough making equipment, efficient operation.
- The transmission mode has been upgraded in an all-round way, and the frequency converter and frequency conversion motor are used to change the speed.
- Standard mechanical control panel, digital control panel can be upgraded.
- Rotate in both directions for easy access to dough.
- Install the circuit breaker, lift the guard to stop, more secure.

和面机 HF200
性能特点

- 大容量制作面团设备，高效运作。
- 传动方式全面升级，采用变频器和变频电机改变速度。
- 标配机械控制面板，可升级数码控制面板。
- 双向转动，方便拿取面团。
- 安装行程开关，抬罩停机，更安全。



MODEL 型号	VOLTAGE 电压	POWER 功率	CAP 容量	PRODUCT SIZE 产品尺寸	PACKAGE SIZE 包装尺寸	G/W 毛重	N/W 净重
HF200	380V	9kW+1.5kW	200L	155*170*150cm	170*185*165cm	800kg	700kg

Dough processing series

面团分块机 Dough dividing machine

面团分块机是一种自动等理分块的食品机械。该机性能良好，使用方便，所分的面团（馅料）重量准确，操作时间短，可节约大量的劳动力。该机可以分割面团和月饼等馅料，每次等份 36 份，每件重量可由 30 克至 180 克。优质纯铜电机，动力强劲，经久耐用。

The dough dividing machine is a kind of food machine that can automatically divide the dough into pieces. The machine has good performance, convenient use, accurate weight of the dough (filling), short operation time, and can save a lot of labor. This machine can divide the filling such as dough and moon cake, 36 portions each time, and the weight of each piece can be from 30g to 180g. The high-quality pure copper motor has strong power and is durable.



技术参数 Technical parameters:

型 号 Model	HM-36S
额定电压 Rated voltage(V)	220/380
额定频率 Rated frequency(Hz)	50
电机功率 Power(kW)	0.5KW
等分数量 Divided Quantity	36
等分重量 Divided Weight(g)	30 ~ 120
机器尺寸 Product Size(mm)	420*520*1250
净重 Net weight(kg)	190



Dough processing series

半自动分割滚圆机 Semi-automatic rounding machine



半自动分割滚圆机通过几何分割原理和偏心摆动原理。将面料在几秒钟内分割成 30 份大小均匀、重量相等的面团，达到省时省力提高功效的目的。是一般面包房不可缺少的好帮手。

The semi-automatic dividing and rounding machine adopts the geometric dividing principle and the eccentric swinging principle. Divide the fabric into 30 pieces of dough with uniform size and weight within a few seconds, achieving the goal of saving time and effort to improve efficiency. It is an indispensable and good helper for ordinary bakeries.

技术参数 Technical parameters:

型 号 Mode	HM-30BS/36BS
额定电压 Rated voltage(V)	220V/ 380
额定频率 Rated frequency(Hz)	50
电机功率 Power(kW)	0.75
等分数量 Divided Quantity	30
等分重量 Divided Weight(g)	30-100
配置电缆 ConPigure cables(mm)	4c×1.5 铜电缆 Copper cable
机器尺寸 Product Size(mm)	550*720*1350
净重 Net weight(kg)	385



Dough processing series

面包切片机
Bread slicer

Bread Slicer
Features

- Made of baiting stainless steel, meet stripper plate, limit branch line, limit board, clean and health.
- Imported slicer, sharp and durable, equal slicing power, section smooth, fast slicing speed, high efficiency.
- Table-type style, easy to operate, economical and practical.
- Thickness could be customized according to customers' demand.

面包切片机
性能特点

- 全机身采用不锈钢设计，干净卫生。
- 进口刀片，锋利耐用，切削刀力度平均，切面平整，切削速度快，效率高。
- 台式机型设计，易于操作，经济实用。
- 可按照用户需要订做切片厚度的机器。



MODEL 型号	VOLTAGE 电压	POWER 功率	MAX.SLICING PIECES 最大切片数	THICKNESS 片厚	PRODUCT SIZE 外形尺寸	WEIGH 重量
HX-31	220/380V	370W	31PCS	12mm	76*56*78cm	78kg
HX-31 custom made	220/380V	370W	定制(Customized)	7~40mm	76*56*78cm	78kg

起酥机
Dough Sheeter

Dough processing series

520 系列起酥机使用防腐蚀耐磨纯铜金属齿轮，经久耐用。采用独特的浸油式设计，噪音低，不易磨损。折叠式设计减少空间，易于搬运。无需停机变档，反复式压面。用于制作起酥花式面点。适用于面包房，蛋糕房以及需要制作酥皮的宾馆、食堂以及餐厅。

HYSP-520 series shortening machine uses corrosion-resistant and wear-resistant pure copper metal gear, which is durable. Unique oil-immersed design, low noise, and not easy to wear. Foldable design reduces space and is easy to carry. There is no need to stop and change gears, and the surface is pressed repeatedly. It is used to make pastry. It is applicable to bakery, cake room and hotels, canteens and restaurants that need to make pastry.



520C Dough Sheeter			
Rated Voltage:	220V/380/50HZ	Conveyer Belt Length:	2000mm
Power:	0.75KW/1.1KW	Conveyer Material:	silicon rubber
WaterProof Grade:	IPX1	Dimension:	2430x880x1230mm
Press Roller Width:	520mm	Weight:	240KG
Roller Diameter:	88mm	Package Size:	730x930x1680mm

Dough processing series

起酥机
Dough Sheeter

披萨机
Pizza machine

Dough processing series

面团处理系列

面团处理系列



细节展示 / Show details



Model:400 Desktop Dough Sheeter			
Rated Voltage:	220V/50HZ	Conveyer Belt Length:	1700mm
Power:	0.4KW	Conveyer Material:	silicon rubber
WaterProof Grade:	IPX1	Dimension:	1900x800x700mm
Press Roller Width:	400mm	Weight:	110KG
Roller Diameter:	88mm	Package Size:	800x730x800mm



500A



500B



500A Dough Sheeter			
Rated Voltage:	220V/380/50HZ	Conveyer Belt Length:	2020mm
Power:	0.75KW/1.1KW	Conveyer Material:	silicon rubber
WaterProof Grade:	IPX1	Dimension:	2520x955x1285mm
Press Roller Width:	520mm	Weight:	220KG
Roller Diameter:	71mm	Package Size:	860x1000x1930mm
500B Dough Sheeter			
Rated Voltage:	220V/380/50HZ	Conveyer Belt Length:	2200mm
Power:	0.75KW/1.1KW	Conveyer Material:	silicon rubber
WaterProof Grade:	IPX1	Dimension:	2750x960x1230mm
Press Roller Width:	520mm	Weight:	240KG
Roller Diameter:	88mm	Package Size:	730x1000x1750mm

Pizza Dough Roller
Features

- Transparent visible plastic cover, safe operation, prevent foreign matters from entering.
- Food grade resin roller, safe and harmless.
- Fine scale, fine adjustment of pressure surface size.
- Electromagnetic switch, high strength structure.
- Stainless steel panel, never rusting, suitable for kitchen high humidity environment.
- Wide entrance and exit, stable performance.
- Adjustable handle ball, pull the adjusting ball outward, loosen the spring bayonet to rotate in the upper and lower semicircles, loosen and adjust the width between the locking rollers, and press out 0.5 ~ 5.5mm pizza.
- Motor overload automatic protection device, no heat, can work for a long time.

披萨压面机/成型机
性能特点

- 透明可视塑料盖，操作安全，防止异物进入。
- 食品级树脂滚轴，安全无害。
- 精细化刻度盘，精细调节压面尺寸。
- 电磁开关，高强度结构。
- 不锈钢面板，永不生锈，适合厨房高湿度环境。
- 宽大出入面口，性能稳定。
- 可调节手柄球，调节球向外拉，松开弹簧卡口即可上下半圆内转动，放松调节锁死滚轴之间宽度，压出0.5~5.5mm披萨。
- 马达过载自动保护装置，不发热，可长时间工作。



MODEL 型号	VOLTAGE 电压	POWER 功率	DOUGH WEIGHT 面团重量	PIZZA DIAMETER 披萨饼直径	PRODUCT SIZE 外形尺寸	N/W 净重
HB-30	220V	600W	50-500G	10-30cm	49.5*49*64cm	35kg
HB-40	220V	600W	50-500G	10-30cm	54*55*65cm	42kg

Meat processing series

绞切机
Meat grinder

绞肉机
meat grinder

Meat processing series

肉类处理系列

肉类处理系列



YD-DJ-12F 型台式单绞机 Meat Mincer			
外形尺寸 Dimensions	360x330x450mm	转速 Spindle Speed	180r/min
加工能力 Productivity	250kg/h	额定电压 Rated Voltage	220V
额定功率 Rated Power	1.1KW	重量 Weight	15.5kg



YD-DJ-12L/22L 型台式单绞机 Meat Mincer			
外形尺寸 Dimensions	370x260x415mm	转速 Spindle Speed	180r/min
加工能力 Productivity	150-250kg/h	额定电压 Rated Voltage	220V
额定功率 Rated Power	0.85-1.3KW	重量 Weight	16.5-18.5kg



YD-TK-22/32 型台式单绞机 Meat Mincer			
外形尺寸 Dimensions	440x295x490mm	转速 Spindle Speed	180r/min
加工能力 Productivity	250-350kg/h	额定电压 Rated Voltage	220V
额定功率 Rated Power	1.1-2.2KW	重量 Weight	27.5-33kg



YD-TKS-22 台式单绞机 Meat Mincer			
外形尺寸 Dimensions	460x320x410mm	转速 Spindle Speed	180r/min
加工能力 Productivity	250kg/h	额定电压 Rated Voltage	220V
额定功率 Rated Power	1.3kw	重量 Weight	35kg



伊动 RY-12S 型台式单绞机 Meat Mincer			
外形尺寸 Dimensions	520x250x285mm	转速 Spindle Speed	180r/min
加工能力 Productivity	250kg/h	额定电压 Rated Voltage	220V
额定功率 Rated Power	1.1kw	重量 Weight	21.3kg



伊动 RY-22S 型台式单绞机 Meat Mincer			
外形尺寸 Dimensions	530x260x330mm	转速 Spindle Speed	180r/min
加工能力 Productivity	300kg/h	额定电压 Rated Voltage	220V
额定功率 Rated Power	1.5kw	重量 Weight	23.8kg



伊动 RY-32S 型台式单绞机 Meat Mincer			
外形尺寸 Dimensions	540x260x330mm	转速 Spindle Speed	180r/min
加工能力 Productivity	350kg/h	额定电压 Rated Voltage	220V
额定功率 Rated Power	2.2kw	重量 Weight	26.3kg

Meat processing series

绞切机
Meat grinder

绞肉机
meat grinder

Meat processing series

肉类处理系列

肉类处理系列



DJ-5G-12/22 铝底座款单绞机 Meat Mincer			
外形尺寸 Dimensions	510x230x350mm	转速 Spindle Speed	180r/min
加工能力 Productivity	250-300kg/h	额定电压 Rated Voltage	220V
额定功率 Rated Power	0.85-1.1KW	重量 Weight	16.5-17.7kg



DJ-5G-12A/22A 抽屉款单绞机 Meat Mincer			
外形尺寸 Dimensions	510x220x330mm	转速 Spindle Speed	180r/min
加工能力 Productivity	250-300kg/h	额定电压 Rated Voltage	220V
额定功率 Rated Power	0.85-1.1KW	重量 Weight	17-18.2kg



YD-22S厚帝台式单绞机 H o u d i Meat Mincer			
外形尺寸 Dimensions	640x240x420mm	转速 Spindle Speed	180r/min
加工能力 Productivity	300-350kg/h	额定电压 Rated Voltage	220V/380V
额定功率 Rated Power	1.5/2.2KW	重量 Weight	30kg



DJ-T2-12/22/32 台式单绞机 Meat Mincer			
外形尺寸 Dimensions	550X260X390mm	转速 Spindle Speed	180r/min
加工能力 Productivity	300-400kg/h	额定电压 Rated Voltage	220V/380V
额定功率 Rated Power	1.1/1.5/2.2KW	重量 Weight	28-33.5kg



YD-DJ-22 / 3 2 柜式绞肉机 Meat Mincing Machine			
外形尺寸 Dimensions	500x430x718mm	转速 Spindle Speed	195r/min
加工能力 Productivity	300-350kg/h	额定电压 Rated Voltage	220V/380V
额定功率 Rated Power	2.2KW	重量 Weight	45kg



YD-DJ-Q7 柜式绞肉机 Meat Mincing Machine			
外形尺寸 Dimensions	540x450x820mm	转速 Spindle Speed	195r/min
加工能力 Productivity	450kg/h	额定电压 Rated Voltage	220V/380V
额定功率 Rated Power	2.2KW	重量 Weight	60kg



YD-DJ-32A 柜式 32 型绞肉机 Large Meat Mincing Machine			
外形尺寸 Dimensions	800x500x718mm	转速 Spindle Speed	195r/min
加工能力 Productivity	450kg/h	额定电压 Rated Voltage	380V
额定功率 Rated Power	2.2KW	重量 Weight	89kg



YD-7A 柜式单绞机 Large Meat Mincing Machine			
外形尺寸 Dimensions	530x425x860mm	转速 Spindle Speed	195r/min
加工能力 Productivity	300 - 400kg/h	额定电压 Rated Voltage	220V/380V
额定功率 Rated Power	2.2KW	重量 Weight	48kg



YD-DJ-32S 柜式单绞机 Large Meat Mincing Machine			
外形尺寸 Dimensions	815x490x520mm	转速 Spindle Speed	195r/min
加工能力 Productivity	450kg/h	额定电压 Rated Voltage	220V/380V
额定功率 Rated Power	2.2KW	重量 Weight	75kg

Meat processing series

绞切机
Meat grinder

绞肉机
meat grinder

Meat processing series

肉类处理系列

肉类处理系列



YD-DJ-32C 柜式单绞机 Luxury Meat Mincing Machine (GEAR BOX DRIVE)			
外形尺寸 Dimensions	760x450x810mm	转速 Spindle Speed	190r/min
加工能力 Productivity	800-1000kg/h	额定电压 Rated Voltage	220V/380V
额定功率 Rated Power	2.2KW	重量 Weight	70kg



YD-DJ-32T 柜式 32 型单绞机 Luxury Meat Mincing Machine (GEAR BOX DRIVE)			
外形尺寸 Dimensions	1160x600x1060mm	转速 Spindle Speed	190r/min
加工能力 Productivity	1000-1500kg/h	额定电压 Rated Voltage	380V
额定功率 Rated Power	4KW	重量 Weight	130kg



YD-DJ-32K 柜式 32 型单绞机 Luxury Meat Mincing Machine (GEAR BOX DRIVE)			
外形尺寸 Dimensions	980x560x920mm	转速 Spindle Speed	190r/min
加工能力 Productivity	1000-1500kg/h	额定电压 Rated Voltage	380V
额定功率 Rated Power	4KW	重量 Weight	184kg



YD-DJ-42 型柜式绞肉机 Meat Mincer			
外形尺寸 Dimensions	600x930x920mm	转速 Spindle Speed	195r/min
加工能力 Productivity	800-1000kg/h	额定电压 Rated Voltage	380V
额定功率 Rated Power	4KW	重量 Weight	115kg



YD-DJ-22 / 3 2 柜式绞肉机 Meat Mincing Machine			
外形尺寸 Dimensions	500x430x718mm	转速 Spindle Speed	195r/min
加工能力 Productivity	300-350kg/h	额定电压 Rated Voltage	220V/380V
额定功率 Rated Power	2.2KW	重量 Weight	45kg



YD-DJ-Q7 柜式绞肉机 Meat Mincing Machine			
外形尺寸 Dimensions	540x450x820mm	转速 Spindle Speed	195r/min
加工能力 Productivity	450kg/h	额定电压 Rated Voltage	220V/380V
额定功率 Rated Power	2.2KW	重量 Weight	60kg



YD-DJ-32A 柜式 32 型绞肉机 Large Meat Mincing Machine			
外形尺寸 Dimensions	800x500x718mm	转速 Spindle Speed	195r/min
加工能力 Productivity	450kg/h	额定电压 Rated Voltage	380V
额定功率 Rated Power	2.2KW	重量 Weight	89kg



台式不锈钢绞肉机 Table Stainless Steel Meat Mincing Machine			
型号 Model	KV-22	KV-12	KV-8
额定功率 Rated Power	1100W	850W	370W
额定电压 Rated Voltage	220V	220V	220V
额定频率 Rated Frequency	50Hz	50Hz	50Hz
出肉产量 Productivity	220kg/h	120kg/h	80kg/h
主轴转速 Spindle Speed	210r/min	170r/min	170r/min
防水等级 Waterproof Level	IP*1	IP*1	IP*1
重量 Weight	20.6kg	15.8kg	10kg
外形尺寸 Dimensions	460x285x470mm	380x210x380mm	310x190x260mm

Meat processing series

锯骨机
Bone sawing machine

灌肠机
SAUSAGE FILLER

Meat processing series

肉类处理系列

肉类处理系列



该系列锯骨机是新开发的产品，具有高效低耗、外形美观、操作方便等显著特点，适用于肉、冻肉、家禽、鱼类等各种骨头的切割，广泛应用于宾馆、宾馆、食品加工工厂和屠宰场。所有与食品接触的部分都是不锈钢或经过特殊处理的，符合国家食品卫生标准。

This series of bone sawing machines is a newly developed product with significant features such as high efficiency and low consumption, beautiful appearance, and convenient operation. They are suitable for cutting various bones such as meat, frozen meat, poultry, fish, and are widely used in hotels, guesthouses, food processing plants, and slaughterhouses. All parts in contact with food are stainless steel or specially treated, meeting national food hygiene standards.



F120A

F210A

F300A

F400A

DIL1210

Coated Body

Model	F-120A	F-210A	F-300A	F-400A	DIL1210
Dimension(mm)	500*400*720mm	620*505*960mm	900*755*1730mm	900*755*1730mm	490X490X925mm
Volts	110/220V	110/220V	380V	380V	110/220V
Power	650W	1100W	1500W	2200W	1100W
Pulley diameter	128MM	165mm	300mm	320mm	210mm
Saw line speed	15m/S	15m/S	15m/S	15m/S	15m/S
Work platform	465*325MM	525*420MM	618*520MM	618*620MM	365X405MM
Surface Treatment	Stainless steel Spray painted	Stainless steel Spray painted	Stainless steel	Stainless steel	Stainless steel Spray painted



MODEL	G.W (KG)	Packing Size (mm)
3L	11.5	575x360x370
5L	12.5	690x360x370
7L	14.5	845x360x370

MODEL	G.W (KG)	Packing Size (mm)
10L	23KG	755x500x400
12L	24.5KG	850x500x400
15L	26KG	850x500x400

Electric Sausage Stuffer

MODEL	Voltage	Power	G.W.(KG)	Packing Size
10L	110-240	200	32.5KG	755x500x400
12L	110-240	220	33KG	885x500x400
15L	110-240	260	34.5KG	885x500x400
20L	110-240	280	35KG	880x490x375
25L	110-240	300	36KG	900x490x375



MODEL	G.W (KG)	Packing Size(mm)
3L	10.1	575x360x370
5L	11.8	690x360x370
7L	13.8	845x360x370



Meat processing series

切片机
Meat Slicer

切片机
Meat Slicer

Meat processing series

肉类处理系列

肉类处理系列



■ 全自动冻肉切片机
Automatic Frozen Meat Slicing Machine

型 号 Model	32 (双电机 dual motor)
材 质 Material	铝镁合金 aluminum alloy
电 压 Rated Voltage	220V/50HZ 380V/50Hz
功 率 Power	1100W
切制厚度 Thickness	0-12mm
刀片直径 Blade dia	320mm
切制速度 Cut speed	约42片/分
机器尺寸 Machine Size	780mmX560mmX736mm
包装尺寸 Package Size	845mmX660mmX785MM
净 重 Net weight	78kg
毛 重 Gross weight	92kg

■ 立式全自动冻肉切片机 (32立式)
Vertical Full-automatic Frozen Meat Slicer

型 号 Model	32立式 Vertical
材 质 Material	铝镁合金 aluminum alloy
电 压 Rated Voltage	220V/380V (50Hz)
功 率 Power	1100W
切制厚度 Thickness	0-12mm
刀片直径 Blade dia	320mm
切制速度 Cut speed	约42片/分
机器尺寸 Machine Size	736mmX560mmX1330mm
包装尺寸 Package Size	980mmX720mmX1440mm
净 重 Net weight	103kg
毛 重 Gross weight	133kg



■ 立式全自动冻肉切片机 (360)
Vertical Full-automatic Frozen Meat Slicer

型 号 Model	360
材 质 Material	铝镁合金 aluminum alloy
电 压 Rated Voltage	220V/380V (50Hz)
功 率 Power	1500W
切制厚度 Thickness	0-20mm
刀片直径 Blade dia	360mm
切制速度 Cut speed	30-55次/分 (速度可调)
机器尺寸 Machine Size	1050mmX730mmX1450mm
包装尺寸 Package Size	1100mmX850mmX1600mm
净 重 Net weight	195 kg
毛 重 Gross weight	225 kg



JK320



JK350



Oxidized by aluminium-magnesium alloy

型号 (Model)	JK-320	JK-350
电流配置 (Current)	230V/370W	JK-350
刀片直径 (Diameter of blade)	550W/50HZ	230V/750W*22/50HZ
切片直径 (S050W/50HZ)	550W/50HZ	110V/750W*2/50Hz
刀片厚度 (Slicing thickness)	320mm	380V/750W*2/50Hz
切片宽度 (Width)	230mm	0-20mm
毛重 (Gross Weight)	120kg	330kg
净重 (Net weight)	100kg	200kg
包装尺寸 (Packing size)	900kg	1100*850*1500mm

Meat processing series

切片机
Meat Slicer

切菜机
Vegetable Cutter

Vegetable processing series

肉类处理系列

肉类处理系列



JK-220A
表面烤漆
Coated Body




JK-250A
表面烤漆
Coated Body

JK-300A
表面烤漆
Coated Body

型号 Model	电流配置 Current	刀片直径 Diameter of Blade	切片厚度 Slicing thickness	净重 Net weight	毛重 Gross Weight	包装尺寸 Packing size
JK-220A	230V/50Hz/120W	220mm	0.2~12mm	12kg	14kg	575*465*415mm
JK-250A	230V/50Hz/150W	250mm	0.2~12mm	13kg	15kg	575*465*415mm
JK-300A	230V/50Hz/250W	300mm	0.2~15mm	20kg	22kg	615*520*495mm



JJKC-300



随机器刀盘H3



随机器刀盘H4



随机器刀盘H7



随机器刀盘P2



随机器刀盘P4

采用铝镁合金氧化制作
Oxidized by aluminium-magnesium alloy

型号 Model No	电流参数 Current	净重 Net Weight	毛重 Gross Weight	包装尺寸 Packing Size
JKC-300	220-230V/50Hz/60Hz/110V/60Hz/550W 550W	25Kg	27Kg	545*295*545mm
JKC-300N		26Kg	28Kg	555*555*530mm

Meat processing series

切片机
Meat Slicer

真空包装机
Vacuum packaging machine

Meat processing series

肉类处理系列

- ◆ 机身铝镁合金抛光氧化处理而成
- ◆ 铝制手柄、脚垫
- ◆ 碳钢刀片

- ◆ The body is made of aluminum magnesium alloy through polishing and oxidation treatment
- ◆ Aluminum handle and bottom pad
- ◆ Carbon steel blade



Model No. 型号	Thickness 切片厚度	Width 切片宽度	Blade Dia 刀片直径	N.W/G.W 净重/毛重	Power(w) 功率	Packing Size(WxDxH),mm 包装尺寸
SY-220L	0.2-12mm	160mm	220mm	17kg/19kg	230V/50Hz/150W-110V/60Hz/150W	560*465*420mm
SY-250L	0.2-12mm	180mm	250mm	17.5kg/19.5kg	230V/50Hz/150W-110V/60Hz/150W	560*465*420mm
SY-275L	0.2-15mm	210mm	275mm	22kg/24.5kg	230V/50Hz/250W-110V/60Hz/250W	635*525*490mm
SY-300L	0.2-15mm	220mm	300mm	23kg/25.5kg	230V/50Hz/250W-110V/60Hz/250W	635*525*490mm

DZ-500/2D单室加深真空包装机 (250mm)
DZ-500/2D Deepen chamber vacuum packaging machine (chamber height:250mm)



DZ-620/2D单室真空包装机
DZ-620/2D LCD Version of vacuum packaging machine

型号 (Model)	DZ-620/2D	DZ-500/2D (加深 250mm)
电压 (Voltage)	AC380V/50Hz AC220V/50Hz	AC220V/50Hz
电机功率 (Motor Power)	900W	900W
热封功率 (Sealing Power)	850W	600W
极限真空度 (Ultimate Vacuum Pressure)	1Kpa	1Kpa
每个工作室热封条数量 (No. of Sealing Bars for Each Chamber)	2Pcs	2Pcs
工作室尺寸 (LxWxH) (Chamber Dimension (LxWxH))	640x730x120mm	525x370x250mm
热封长度 (Sealing Length)	620mm	500mm
热封宽度 (Sealing Width)	10mm	10mm
真空泵抽速 (Vacuum Pump Rate)	20m³ /h/ 可配 2 个	20m³ /h
真空室材质 (Material for Vacuum Chamber)	不锈钢 Stainless steel 201	不锈钢 Stainless steel 201
外形尺寸 (LxWxH) (Dimension (LxWxH))	800x780x890mm	650x575x950mm
净重 (Net Weight)	130kg	85kg
两根热封条中心距 (The center distance between two sealing bars)	600mm	370mm

肉类处理系列

Vegetable processing series

土豆去皮机 Potato peeler

蔬菜处理系列

本机外观全不锈钢制作，经久耐用。内层磨皮砂纸可以更换，延长机器使用寿命。采用高强度皮带传动，运转平稳，工作效率高，1-2 分钟即可完成一次去皮操作。适用于公司、机关、学校食堂、宾馆酒店餐厅以及薯片薯条生产企业。

This machine is made of stainless steel and durable. The inner sandpaper can be replaced to extend the service life of the machine. It is driven by high-strength belt, with stable operation and high working efficiency. It can complete a peeling operation in 1-2 minutes. It is applicable to companies, institutions, school canteens, hotel restaurants and potato chips and chips production enterprises.



SY8/15/30

SY300/SY400



Parameters \Model	SY-8	SY-15	SY-30	SY-300	SY-400
Power (Kw)	0.75	1.1	1.5	0.75	1.5
Voltage (V)	110/220	110/220	110/220	110/220	110/220
Frequency (Hz)	50/60	50/60	50/60	50/60	50/60
Capacity (L)	8	15	30	8	15
Efficiency (Kg/h)	240-480	480-900	1080-2160	240-480	480-900
G. W. (Kg)	63	68	87	63	68
Package Size (cm)	49×48×80	57×53.5×90.5	59×59×102	52×57×88	52×57×95

甘蔗榨汁机

Sugar Cane juice extractor

Manual Sugar Cane Juicer

SY-250A手摇榨汁机



Model / 型号	SY-250A
Width of roller / 轧辊宽度(mm)	100
Diameter of roller / 轧辊直径(mm)	73
Weight / 重量(kg)	32
dimension LxWxH / 外形尺寸(mm)	375X340X375

Vertical Electric Sugar Cane Juicer

SY-300YN立式电动甘蔗机



Model / 型号	SY-300YN
Input Power / 额定输入功率(KW)	0.55/0.75
Input voltage / 额定输入电压(V)	220
Rated Frequency / 额定输入频率(Hz)	50
Speed of pressing/压棍转速 (r/min)	18
Efficiency/工作效率 (kg/h)	300
Weight/重量 (kg)	54
dimension LxWxH / 外形尺寸(mm)	430X340X785

Vegetable processing series

Manual Sugar Cane Juicer

SY-250A手摇榨汁机



The Feeding Hole is Optional



Model / 型号	SY-250B
Width of roller / 轧辊宽度(mm)	100
Diameter of roller / 轧辊直径(mm)	76
Weight / 重量(kg)	39
dimension LxWxH / 外形尺寸(mm)	375X340X375

Electric Sugar Cane Juicer

SY-300F电动立式甘蔗榨汁机



Model / 型号	SY-300F
Input Power / 额定输入功率(KW)	0.75
Input voltage / 额定输入电压(V)	220
Rated Frequency / 额定输入频率(Hz)	50
Speed of pressing/压棍转速 (r/min)	17
Efficiency/工作效率 (kg/h)	300
Weight/重量 (kg)	50
dimension LxWxH / 外形尺寸(mm)	440X440X735

蔬菜处理系列

Oven series

燃气烘炉 Gas oven

远红外电热烘炉 Far infrared electric oven

Oven series

烤箱系列



YCQ-2-2D

YCQ-2-4D

YCQ-3-6D



YCQ-3-9D



YCQ-4-16D



经典型燃气烘炉 CLASSIC TYPE GAS OVEN

- Equipped with digital temperature controller. Available for LPG or LNG. 配备数显温控技术，可选用液化石油气或天然气。
- Can add baking stone and steam function for baking basic on customer's requirement. 可根据客户需求选配添加石板 and 蒸汽功能。
- The fire pipe is made of high grade seamless steel tube. Light fire baking mode with high thermal efficiency and energy saving. 火管采用高级无缝钢管制作，明火烘烤，热效率高且节约能源，烤出产品色泽、香味均更胜一。

MODEL 型号	SPEIFICATION 规格	POWER 功率	VOLTAGE 电压	DIMENSION L*W*H 长*宽*高 (毫米)	INNER SIZE(mm) 内腔尺寸	N.W.(KG) 净重
YCQ-2D	1 DECK 层 2 Tray盘	0.1 kW	220V	1280*860*675mm	870*630*225mm	105KG
YCQ-2-4D	2 DECK 层 4 Tray盘	0.2 kW	220V	1280*860*1500mm	870*630*225mm	180KG
YCQ-2-6D	2 DECK 层 6 Tray盘	0.2 kW	220V	1715*860*1500mm	1305*630*225mm	250KG
YCQ-3D	1 DECK 层 3 Tray盘	0.1 kW	220V	1715*860*675mm	1305*630*225mm	120KG
YCQ-3-6D	3 DECK 层 6 Tray盘	0.3 kW	220V	1280*860*1730mm	870*630*225mm	260KG
YCQ-3-9D	3 DECK 层 9 Tray盘	0.3 kW	220V	1715*860*1730mm	1305*630*225mm	310KG
YCQ-3-12D	3 DECK 层 12 Tray盘	0.3 kW	220V	1715*1060*1730mm	1305*850*225mm	440KG
YCQ-3-18D	3 DECK 层 18 Tray盘	0.4 kW	220V	1715*1480*1755mm	1305*1250*225mm	660KG
YCQ-4-16D	4 DECK 层 16 Tray盘	0.4 kW	220V	1715*1060*2230mm	1305*850*225mm	660KG



YCD-2D



YCD-3-6D



YCD-2-4D



YCD-3-9D

经典型电热烘炉 CLASSIC TYPE SERIES ELECTRIC OVEN

- Equipped with digital constant temperature controller, Digital panel can see the instant temperature. 配备数显温控技术，数显仪表可看见的箱内的即时温度。
- Equipped with timing controller and alarm, safe and reliable. 配有定时器和报警，安全可靠。
- Can be optional upgrade to micro-computer panel. 可选配升级微电脑控制面板。
- Adopt high quality far-infrared heating tubes, Fast heating up and saving energy. 采用优质远红外线发热管，受热均匀，升温快且节省能源。

MODEL 型号	SPEIFICATION 规格	POWER 功率	VOLTAGE 电压	DIMENSION L*W*H 长*宽*高 (毫米)	INNER SIZE(mm) 内腔尺寸	N.W.(KG) 净重
YCD-2D	1 DECK 层 2 Tray盘	6.6 kW	380V	1250*820*565mm	870*630*225mm	75KG
YCD-2-4D	2 DECK 层 4 Tray盘	13.2 kW	380V	1250*820*1300mm	870*630*225mm	135KG
YCD-2-6D	2 DECK 层 6 Tray盘	20 kW	380V	1250*820*1300mm	1305*630*225mm	210KG
YCD-3D	1 DECK 层 3 Tray盘	10 kW	380V	1685*820*565mm	1305*630*225mm	100KG
YCD-3-6D	3 DECK 层 6 Tray盘	19.8 kW	380V	1250*820*1450mm	870*630*225mm	170KG
YCD-3-9D	3 DECK 层 9 Tray盘	30kW	380V	1685*820*1450mm	1305*630*225mm	230KG
YCD-3-12D	3 DECK 层 12 Tray盘	37.8kW	380V	1685*1020*1450mm	1305*850*225mm	355KG
YCD-3-18D	3 DECK 层 18 Tray盘	50kW	380V	1685*1420*1450mm	1305*1250*225mm	450KG
YCD-4-16D	4 DECK 层 16 Tray盘	50kW	380V	1685*1020*2015mm	1305*850*225mm	400KG